

FIG. 7B




FIG. 7C




FIG. 7B




FIG. 7C




FIG. 2




FIG. 3




FIG. 4A

CAD
SOURCE
FILE 402



OBJECT GEOMETRY 474		THICKNESS PROPERTY 476	COLOR PROPERTY 478	LAYER PROPERTY 480	ID PROPERTY 481	TRANSLATION TOGGLE 482	
<div>470</div> <div>472</div>	Circle	10	Red	G 1	7594	Insert	• • •
	Triangle	8	Blue	G 1	1628	Insert	• • •
	• • •	• • •	• • •	• • •	• • •	• • •	• • •




FIG. 4B




FIG. 5




FIG. 6A

620

DWG Link Options

Sorting Options

Combine by:
622 Layer, Thickness
☐ Preserve Access to Individual AutoCAD Entities

Layer Options

Exclude Layers...

Geometry Options

628
☐ Weld Weld threshold: 0.1
☒ Auto-smooth Smooth-angle: 30.0
☒ Unify normals
☐ Cap closed entities
☒ Skip hatches and points
☐ Reset AutoCAD entity thickness

Geometry Interpolation

ACIS surface deviation: 0.1
Curve steps: 6

OK

Cancel

624
626
630

FIG. 6B




FIG. 6C

650

DWG Link Options

Sorting Options

Combine by:
Layer

☒ Preserve Access to Individual AutoCAD Entities

Layer Options

Exclude Layers...

Geometry Options

☐ Weld

Weld threshold: 0.1

☒ Auto-smooth

Smooth-angle: 30.0

☒ Unify normals

☐ Cap closed entities

☒ Skip hatches and points

☒ Reset AutoCAD entity thickness

Geometry Interpolation

ACIS surface deviation: 0.1

Curve steps: 6

OK

Cancel

FIG. 6D